Manual Rotary Cell Slitter

Model No : DMS-10A-1

CAT No. : 01



Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Row Card Loading & Feeding	Auto Row Card Feeding
2	Slitting Knifes	HSS Steel With Titanium Coated
3	Max. Slitting Q'ty	50 Strips (Upon user Requirement)
4	Slitting Tact Time	5.0Sec/50 Strips(Depends On Operator Skill)
5	Row Strip Dimensions	316.0L x 30.0W x 0.2T mm (Upon user Requirement)
6	Strip Slitting Widths	5.5 +/- 0.1mm (Upon user Requirement)
7	M/C Dimensions	625L x 436W x 435H mm
8	Weight	Net 90Kg (Gross 135Kg for Export)
9	Electric Power	220V(110V) Single Phase,450W,5A
10	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Manual Row Card Slitter

Model No : DMS-10R

CAT No. : 02



Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Sheet Loading & Feeding	Manual
2	Slitting Knifes	HSS Steel With Titanium Coated
3	Max. Slitting Q'ty	10 Rows (Upon user Requirement)
4	Slitting Tact Time	10.0Sec/10 Rows (Depends On Operator Skill)
5	Row Strip Dimensions	316.0L x 30.0W x 0.2T mm (Upon user Requirement)
6	Row Card Slitting Widths	30 +/- 0.1mm (Upon user Requirement)
7	M/C Dimensions	886L x 436W x 435H mm
8	Weight	Net 90Kg (Gross 135Kg for Export)
9	Electric Power	220V(110V) Single Phase,450W,5A
10	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Automatic Cell Slitting & Bottling Machine

Model No : DY-SCB13-A

CAT No. : 03

Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Row Card & Bottle Supply	Automatic
2	Slitting Knifes	HSS Steel With Titanium Coated
3	Strips per Bottle	10T, 25T, 50T
4	Slitting Tact Time	2.5 Sec / 25T
5	Row Strip Dimensions	316.0L x 30.0W x 0.2T mm (Upon user Requirement)
6	M/C Dimensions	3000 L x 2500W x 2200H mm
7	Weight	Net 2200Kg (Gross 2700Kg for Export)
8	Electric Power / Air	380V 4W 3PH 15KW 60 Hz / 5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.

135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Automatic Roll to Roll Punching Machine

Model No : DY-SCB13-A

CAT No. : 04



Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Reeled Film	Printed or Coated PET Film
2	Press	Hydraulic 4 post Press
3	Film Widths	300~400 mm
4	Film Alignment	By Machine Vision System
5	Punching Tact time	10 Sec / Sheet Max.
6	M/C Dimensions	4200 L x 3800W x 2400H mm
7	Weight	Net 4000Kg (Gross 4500Kg for Export)
8	Electric Power / Air	380V 4W 3PH 20KW 60 Hz / 5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Film Punching Die

Model No : DY-SDM-00-00

CAT No. : 05





Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Reeled Film	Printed or Coated PET Film
2	Press	Hydraulic 4 post Press
3	Accuracy	+/- 0.05~0.2 mm
4	Film Alignment	By Machine Vision System of Roll to Roll Machine
5	Punching Type	1 Sheet by 1 Stroke Punching
6	Dimensions	620 L x 580W x 520H mm
7	Weight	Net 500Kg (Gross 600Kg for Export)
8	Compressed Air	5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Plasma Treatment Machine

Model No : DY-S#5PLSM17

CAT No. : 06



Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Input Material	Au Coated PET Film
2	Tact Time	12.0 Sec ~ (by Film Layout)
3	Film Dimensions	300~400 mm
4	Film Alignment	By Alignment Pins
5	Plasma Condition	Not inclusive
6	Dimensions	1500 L x 1400W x 2300H mm
7	Weight	Net 1500Kg (Gross 1800Kg for Export)
8	Electric Power / Compressed Air	380V 4W 3PH 10KW 60 Hz / 5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Film Laminating Machine

Model No : DY-19SDLA-00

CAT No. : 07

Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Input Material	Au Coated PET Film, Printed PED Film
2	Tact Time	9.0 Sec ~ 11.0 Sec
3	Film Dimensions	300~400 mm
4	Film Alignment	By Alignment Pins
5	Laminating Method	4 Heat rollers
6	Dimensions	4400 L x 2500W x 2000H mm
7	Weight	Net 1500Kg (Gross 1800Kg for Export)
8	Electric Power / Compressed Air	380V 4W 3PH 10KW 60 Hz / 5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.
135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com

Diagnostics Test Kit Ass'y & Packaging M/C

Model No : DY-18SDEF1-B-00

CAT No. : 08

Specifications

NO.	DESCRIPTIONS	SPECFICATIONS
1	Input Material	Un-cut Sheet, Sample Pad, Devices(2), Labels(2), Spoit, Silica gel, Aluminum Film
2	Tact Time	3.5 Sec ~4.0 Sec / 4 Device
3	Inspection & Alignment	By Machine Vision Systems
4	Device Thickness Inspection	By Electric Potentio meter
5	Device Supply	By Bowl Feeder
6	Dimensions	6200 L x 2000W x 2000H mm
7	Weight	Net 2000Kg (Gross 2500Kg for Export)
8	Electric Power / Compressed Air	380V 4W 3PH 15KW 60 Hz / 5.5~6 Bar
9	Others	Options

DAE YEON ENG Co.,Ltd.

135-11, Dangharo, Namsa-Myeon, Cheoin,-gu
Yongin-Si, Gyeonggi-do, 17118, Korea
T. 82-31-626-9333 F. 82-31-526-9334
E/M : jmk4824@hanmail.net
www.daeyeoneng.com